

Marvin “Joe” Curry Veterans Pow Wow

July 14 – 16, 2017

Veterans Park Salamanca, NY

2017 FOOD VENDOR RULES & REGULATIONS

1. Vendor selection will be determined by the following criteria: A) Seneca Preference B) First paid first selected C) Number of available spaces dedicated to any one type of vendor.
2. All vendors MUST be Native American enrolled in a federally recognized Indigenous Nation. Please include a copy of said enrollment with Vendor Application.
3. You must understand that filling out the application is just that...an application...not a registration form. Please do not consider yourself registered until notified as such. The onus is on you to find out the status of your application.
4. If your application is not accepted, the already deposited fee will be refunded via check.
5. NO CAMPING PERMITTED ON POW WOW GROUNDS. Free Camping/showers available at the Allegany Community Center: 777 Allegany Blvd, Salamanca, NY 14779.
6. We provide only a 20' x 20' space and access to water and electric. The Pow Wow Committee sells ice delivered to your booth. Cost is \$400 for vendors offering multiple food items. Cost of \$300 is for vendors who are offering only one type of item such as only dessert or some non-main dish.
7. Each vendor will be provided SIX weekend pass bracelets, and ONLY one parking pass. A \$10 fee will be charged for each additional bracelet above the allotted number per site.
8. A “Complete Application” consists of: completed application form, payment in full in U.S. funds (NO personal checks or cash), and proof of enrollment. The complete application deadline is July 3, 2017.
9. Dancers, drum groups, and pow wow committee members will be given \$5 food vouchers. They are to be treated as cash (i.e. give change). When you close for business, come to the registration table to redeem your vouchers for cash.
10. A “Dancers/Drummers ONLY” line must be established (or congruent accommodations) during dinner breaks to ease their time constraints.
11. Signage: A sign must be created showing the dancers and drummers where their designated line begins as described in Rule # 10. You must conspicuously post your health inspection certification at your booth.
12. Once you are notified that you are selected to be a vendor, your registration fee becomes non-refundable. All fees are non-transferable.
13. NO smoking, NO pets, NO drugs, NO alcohol permitted in the park.

SET UP

14. Pow Wow grounds will be open for vendor set up: Thursday 9am-7pm, Fri: 8am-1pm.
15. Grounds open to the public at 4pm Friday. Grand Entry is scheduled on Friday evening.
16. Only supply vehicles and utility trailers will be allowed to park on the perimeter of the food vendor area. Specific areas will be set aside for vendors. Parking map available in June on website.
17. ALL confirmed vendors must check in with Jessi Garlow upon arrival for assigned spot by 11:00 am Friday.
18. Vehicles will not be allowed on the pow wow grounds after 1pm on Friday. Safety First!!

Marvin “Joe” Curry Veterans Pow Wow

July 14 – 16, 2017

Veterans Park Salamanca, NY

19. You must provide your own power cord 12/3. All power cords MUST BE 16 GAUGE.
20. Vendors must provide their own NSP standard water hose.
21. Vendors MUST be set up and open for business by 10am on Saturday and Sunday.
22. All food vendors must comply with Seneca Nation Health System regulations. Inspectors will be stopping at each booth once a day. Non-compliant vendors will have an opportunity to correct violations, if any. If you refuse to correct, or are unable to correct, you will be asked to close.
23. Decisions regarding the vendor rules and regulations determined by the Pow Wow Committee are final.
24. Neither the Pow Wow Committee, nor associated partners and/or affiliates are responsible for lost or stolen items, personal damages or personal injuries which may occur during the pow wow.

** See website for more information. www.senecapowwow.org **



MARVIN "JOE" CURRY VETERANS POW WOW

JULY 14 - 16, 2017
VETERANS PARK SALAMANCA, NY

FOOD VENDOR APPLICATION

Deadline for FULL payment and application is JULY 3, 2017 – NO exceptions

Spaces are limited

FEE (select one): Multiple Food Offerings \$400 Single Offering \$300

You MUST provide a copy of your Tribal Enrollment certificate or the application will be returned.

Mail money order (no personal check or cash), application and proof of enrollment to:

William Seneca Building
Attn: Veterans Pow Wow, Jessi
12837 Route 438
Irving, NY 14081

(Please make payable to: Iroquois Post 1587 Veterans Pow Wow)

Scan for more info

NAME: _____

NATION/TRIBE: _____ ENROLLMENT #: _____

ADDRESS: _____

PHONE: _____ EMAIL: _____

Please describe and list the goods available at your stand: _____



****In submitting this application, I acknowledge that I have read the Vendor Rules & Regulations and fully understand and will abide by them****

Contact Jessi Garlow for more info: 716-532-4900 Ext 5066 or Jessi.Garlow@sni.org

FOOD SAFETY AT TEMPORARY EVENTS

*Are your hot foods hot?
Cold foods cold?
Equipment and utensils clean?*

TABLE OF CONTENTS

14 Steps to Safe and Sanitary Food Service Events.....	1
The Top Six Causes of Foodborne Illness.....	4
Clean Hands for Clean Foods.....	4



6200 Aurora Avenue, Suite 200W Des Moines, Iowa 50322-2864, USA
800.369.6337; 515.276.3344
515.276.8655 Fax www.foodprotection.org info@foodprotection.org
Revised by: The Outreach Education Professional Development Group, 2003


14 Steps to Safe and Sanitary Food Service Events

Church suppers, street fairs, civic celebrations and other similar events often call for volunteers to prepare and serve food safely for large groups of people. This 14-step guide, based on recommendations by food safety experts will help you keep your temporary event free of the risk of foodborne illness.

1. **Obtain the proper permits.** Check with your local health department or other government agency about permits and food code requirements. Be prepared to tell the department where you will hold the event, if you will be holding the event on a regular basis, the number of people you anticipate serving, what you plan to serve, where the food will come from, how you will prepare and transport it, and the precautions you will take to prevent contamination.

In the event of a foodborne illness, it will help if you can show you ran your event “by the book.”

2. **Design your booth with food safety in mind.** The ideal booth will have an overhead covering, be entirely enclosed except for the serving window and have only one door or flap for entry. Clear plastic or light colored screening on sidewalls will aid visibility. Flooring must be of approved surface; no dirt floors are permitted. Only food workers may be permitted inside the food preparation area; animals must be excluded. Location of food stand should be at least 100 feet from where animals are housed or from portable restroom facilities.



The more your food is exposed to outsiders, the greater the likelihood of contamination.

3. **Choose a food-safe menu.** Keep your menu simple, and keep potentially hazardous foods (meats, eggs, dairy products, cut fruits and vegetables, salads, etc.) to a minimum or take extra precautions for food safety. Use only foods from approved sources, avoiding foods that have been prepared at home. Cook to order to avoid the potential for bacterial contamination. Use precooked foods only if they have been properly chilled and reheated. Avoid using leftovers. Keep raw foods and cooked foods separate.

Complete control over your food, from source to service, is one key to safe, sanitary food service.

4. **Cook to the proper temperature.** Use an instant read food thermometer to check on cooking and cold holding temperatures of potentially hazardous foods. Check with your government agency for specific requirements. The USDA recommends that hamburgers and other ground meats be cooked to a minimum internal temperature of 160°F (71°C); poultry and poultry parts 165°F (74°C); medium-rare roasts or steaks 145°F (63°C); eggs, fish, pork and other meats 160°F (71°C). Foods cooked in a microwave must have a minimum internal temperature of 165°F (74°C).



Most illnesses from temporary events can be traced back to lapses in temperature control.

5. **Re-heat with care.** Reheat foods rapidly to an internal temperature of 165°F (74°C). If the food has not reached this temperature within 2 hours, discard it. Do not attempt to reheat foods in crock-pots, steam tables or other hot holding devices, or over sterno. Foods **can** be safely kept hot at 140°F (60°C) in these hot holding devices.

Slow-cooking mechanisms used for reheating may activate bacteria and may never reach killing temperatures.

6. Chill food promptly. When cooked food will not be served immediately, it is essential to hold it properly (above 140°F) or to cool it as quickly as possible. Foods that require refrigeration must be cooled to 41°F (5°C) as quickly as possible and held at that temperature until ready to serve. To cool foods quickly, use an ice water bath (60% ice to 40% water), stirring the product frequently, or place the food in shallow pans no more than 3-4 inches deep and refrigerate. Pans should not be stored one atop the other, and lids should be off or ajar until the food is completely cooled. Check the temperature periodically to see if the food is cooling properly. Cover the food once it has reached 41°F (5°C) in order to avoid contamination.



Allowing hazardous foods to remain unrefrigerated for too long has been the cause of many episodes of foodborne illness.

7. Transport with care. If food needs to be transported from one location to another, keep it well covered and provide adequate temperature controls. Use refrigerated trucks or insulated containers to keep cold foods cold (below 41°F) and hot foods hot (above 140°F).


Neglecting to consider food safety when transporting food can undo all the good of your other measures to prevent foodborne illness. Keep hot foods hot and cold foods cold.

8. Take care with health and hygiene. Only healthy workers should prepare and serve food. Any workers who show symptoms of a disease – cramps, nausea, fever, vomiting, diarrhea, jaundice, etc. – or who have open sores or infected cuts on the hands should not be allowed in the food booth. Workers should wear clean outer garments and should not smoke or eat in the booth. Food handlers should wear effective hair restraints, remove jewelry, and wash hands before preparing/serving food.



Ill or unclean personnel are a frequent cause of foodborne diseases. Smoking, besides being unhealthful and aesthetically unappealing in food preparation, contributes to the contamination of workers' hands.

9. Provide proper handwashing facilities. Clean running water, hand soap, and disposable paper towels are essential for setting up proper handwashing facilities. While cold water will work, access to warm water is better.



When water under pressure is not available, use a covered insulated container of at least 5-gallon capacity with a valve that allows a continuous flow of water over hands. Dispose waste water properly in a municipal sewer system or approved septic system. Wash your hands frequently: before starting work, before engaging in food preparation, after handling raw meat, after eating, smoking, coughing, sneezing or using a tissue, after handling soiled items or garbage, and after using the restroom.

Frequent and thorough hand washing remains the first line of defense in preventing foodborne disease. The use of disposable gloves can provide an additional barrier to contamination, but gloves are no substitute for hand washing.




10. Handle foods safely. Avoid bare hand contact with ready-to-serve foods and food contact surfaces. Use disposable gloves, tongs, napkins, or other tools to handle food. Be sure to first wash hands thoroughly to avoid contaminating the outside of the gloves. Gloves used to handle food are for single use only and should never be washed and re-used. Gloves should be changed:



- As soon as they become soiled or torn
- Before beginning a different task (such as when you move from handling money to handling food)
- At least every 4 hours during continual use, and more often as necessary
- After handling raw meat and before handling cooked or ready-to-eat food

Touching food with bare hands or dirty gloves transfers germs to the food.

11. Carefully clean all equipment. Use disposable utensils for food service. Keep your hands away from food contact surfaces, and never re-use disposable ware. Wash equipment and utensils in a 4-step sanitizing process: washing in hot, soapy water; rinsing in hot water; chemical sanitizing; and air-drying. For chemical sanitizing, use concentrations recommended by the manufacturer. For example, soak equipment and utensils in solution of 1-tablespoon bleach for 1 gallon of water for two minutes.




Clean utensils provide protection against the transfer of harmful germs.

12. Properly store and handle ice. Ice used to cool cans and bottles should not be used in cup beverages and should be stored separately, and be from an approved source. Use a scoop to dispense ice, never the hands.

Ice can become contaminated w/bacteria & viruses and cause foodborne illness.

13. Sanitize work surfaces and tables. Sanitize work surfaces and tables with a dilute bleach solution. First, wash surfaces with warm soapy water and rinse. Then use a cloth to wipe with a sanitizer (use at concentrations specified by the manufacturer; for example, use 3 table- spoons bleach in 1 gallon of water). Rinse and store your wiping cloths in a bucket of sanitizer. Change the solution every 2 hours.



Clean and well-sanitized work surfaces prevent cross contamination and discourage flies.

14. Control insects and carefully discard waste. Keep foods covered to protect them from insects. Store pesticides away from food. If you apply insecticides or other pesticides, follow the label directions, avoiding contamination of food, equipment, or other food contact surfaces. Place garbage and paper wastes in a refuse container with a tight-fitting lid. Dispose of wastewater in a sewer or public toilet.

Flies and other insects are carriers of foodborne diseases. The chemicals used to kill them can be toxic to humans.

The Top Six Causes of Foodborne Illness

From past experience, the U.S. Centers for Disease Control and Prevention list these six circumstances as the ones most likely to lead to illnesses. Check through the list to make sure your event has avoided these common causes of foodborne illness:

1. Inadequate Cooling and Cold Holding

More than half of all foodborne illnesses are due to keeping foods out at room temperature for cant source of foodborne illness.

2. Inadequate Hot Holding

Cooked foods not held above 140 degrees Fahrenheit (60 C) until served can be a significant source of foodborne illness

3. Inadequate Reheating

When previously cooked foods are not reheated to above 165°F, illness often results.

4. Preparing Food Too Far Ahead of Service

Food prepared 12 or more hours before service increases the risk of temperature abuse.

5. Poor Personal Hygiene and Infected Personnel


Poor hand-washing habits, and food handlers working while ill are implicated in 1 out of every 4 foodborne illnesses.

6. Contaminated Raw Foods and Ingredients



Serving raw shellfish or raw milk that is contaminated, or using contaminated raw eggs in sauces and dressings, has often led to outbreaks of foodborne disease. It is always safer to use pasteurized products. Wash all fruits and vegetables before use.

Remember: When in doubt, throw it out!



Clean Hands for Clean Foods

Since the staff at temporary food service events may not be professional food workers, it is important that they be thoroughly instructed in the proper method of washing their hands. The following may serve as a guide:

- Use soap and water.
- Rub your hands vigorously for 20 seconds as you wash them.
- Wash ALL surfaces, including: back of hands, wrists, between fingers under finger nails using a good brush
- Rinse your hands well.
- Dry hands with a paper towel.
- Turn off the water using paper towel instead of your bare hands.

Wash your hands in this fashion before you begin work and frequently during the day, especially after performing any of these activities:

- Using the toilet
- Handling raw food
- Coughing or sneezing
- Touching hair, face or body
- Smoking
- Handling soiled items
- Scraping tableware
- Disposing of garbage

